

*Natural. Valued. Protected.*

Lake Fact Sheet – Parry Sound District

# Go Home Lake

## Location:

**MNR District:** ..... Parry Sound  
**Geographic Township:** ..... Gibson  
**Municipal Township:** ..... Georgian Bay  
**Watershed:** ..... Gibson River  
**Fisheries Mgmt Zone:** ..... 15

## Basin and Terrain Characteristics:

**Lake Survey Year:** ..... 1974  
**Surface Area:** ..... 666.5 hectares  
**Maximum Depth:** ..... 32.6 meters  
**Mean Depth:** ..... 8.6 meters  
**Perimeter:** ..... 104.7 km  
**Island shoreline:** ..... 8.9 km  
**Littoral Zone:** ..... 47%  
**Shoreline Development:** .... 425 cottages, 3 resorts (at time of 1974 survey)  
**Access Points:** ..... Road (Public)  
**Water Level:** ..... Regulated by MNR – Go Home Lake Dam  
**Crown Land:** ..... 42%

## Water Quality:

**Secchi reading:** 4.5 meters (OMNR, 1998), 5.3 meters (OMNR, 1974)  
**Colour:** Yellow/Brown  
**Dissolved Oxygen:** good; low amounts below 28 meters (OMNR, 1998)  
**Alkalinity:** 13.7 mg/l  
**pH:** 7.0  
**M.E.I.:** 3.4

**“Guide to eating fish”:** Restrictions for Northern Pike, Walleye and Cisco. Refer to the current “Guide to Eating Ontario Sport Fish” available at [www.ene.gov.on.ca](http://www.ene.gov.on.ca).

# Lake Fact Sheet – Parry Sound District

## Go Home Lake

### Fisheries:

**Game Fish Species:** Northern Pike, Walleye, Smallmouth Bass, Largemouth Bass, Lake Whitefish, Yellow Perch, Muskellunge

**Other species present:** White Sucker, Golden Shiner, Emerald Shiner, Spottail Shiner, Mimic Shiner, Bluntnose Minnow, Brown Bullhead, Rock Bass, Pumpkinseed, Iowa Darter, Johnny Darter, Logperch, Cisco, Burbot, Smelt, Channel Catfish

**Introduced Species:** Zebra Mussel - viligers (reported by OFAH monitoring study in 1998), Spiny Water Flea (reported by OFAH monitoring study in 1991), Lake Trout (Failed Introduction)

**Stocking Record:** The lake is not currently being stocked.

1976 Lake Trout 8,133 16 month RP clip  
1974 Lake Trout 5,000 yearling  
1968 Lake Trout 5,000 yearling  
1966 Smallmouth Bass 5,000 fingerling  
1966 Lake Trout 5,000 yearling  
1965 Smallmouth Bass 2,000 fingerling  
1948 Smallmouth Bass 500 fingerling

### Summary of Fisheries Studies / Reports:

McIntyre, E. 2004. **Go Home Lake – Fall 2003 Synoptic Trap-net Survey Report.** 28 p.

#### Executive Summary:

A *Synoptic Trap-net Survey* (STNS) was conducted on Go Home Lake (Geographic Township of Gibson) in the fall of 2003. The primary purpose of the survey was to assess the status of the near-shore fish community and in particular that of walleye, smallmouth bass and northern pike. This survey also duplicates the objectives of a *Fall Walleye Index Netting* (FWIN) survey conducted in 2001, which was part of an initiative to monitor the status of walleye populations throughout the Ministry's Southcentral Region. Our study affords the opportunity of comparing the two survey techniques. Many of the key results between these two surveys were inconsistent and conflicting. Discrepancies are discussed in the report.

We also compared our results with 23 other STNS surveys recently (since 1994) conducted in the Parry Sound Area. Over-all fish productivity as measured by *Catch-Per-Unit-Effort-by-weight* (CPUE-wt) for all species combined was average. The percentage of game fish in the total catch weight was well below average of our 23-survey STNS dataset. Our catch (by weight) was dominated by common white sucker and channel catfish.

Relative abundance indices for walleye were well below average. There was however, positive evidence of successful reproduction and recruitment to the adult walleye population. Indices of abundance for large and smallmouth bass were approximately average. There was also good evidence of successful reproduction and recruitment to the smallmouth population. Indices of northern pike were below average. Size-structure of the pike catch suggests recent reproduction and recruitment may be weak. Relative to our STNS database, we rated the abundance of walleye, smallmouth bass and pike as "low",

# Lake Fact Sheet – Parry Sound District

## Go Home Lake

“intermediate” and “low”, respectively.

We present a theoretical report card whereby we accord Go Home Lake an overall rating of C-. None of the indicators for population health were impressive in this survey.

### McIntyre, E. 2001. **2001 Fall Walleye Index Netting Interim Report**

- Walleye “Catch Per Unit Effort” indicated high abundance for Walleye and Smallmouth Bass.
- Intermediate abundance was indicated for Northern Pike.

### Thurston, L.D.W. 1979. **Background data on the fishery and other water related recreational activities on Go Home Lake, Township of Georgian Bay.**

1. Creel Survey conducted from May 13<sup>th</sup> to September 17, 1978.
  - Estimate of 3,116 angler hours of fishing effort
  - 576 sampled hours of angling resulted in the catch of: 38 smallmouth bass, 26 walleye, 4 northern pike, 1 channel catfish
  - Harvest Estimate: 195 smallmouth bass, 135 walleye, 22 northern pike, 22 channel catfish (Note: harvest estimate for walleye does not include after-dark angling)
  - Walleye Effort-Per-Unit-Catch (EPUC) was 9.61 angler hours
  - Walleye Effort-Per-Unit-Harvest (EPUH) was 9.99 angler hours
  - Smallmouth bass EPUC: 4.63 angler hrs.; EPUH: 5.67 angler hours
  - Northern pike EPUC & EPUH: 11.43 angler hours
  - Mean age of walleye: 3.2 years; N=94. (Must have included samples from creel and netting survey combined.)
2. Estimates of recreational activities related to: rowing, sailing, canoeing, pleasure boating, water-skiing and tenting were provided.
3. Summary of catch data from walleye assessment study (listed below) is presented
4. Summary of catch data from 1977 lake trout assessment study (listed below) is presented

### MNR 1978 **Walleye Assessment** (Note: Data collected in this survey is reported in the above report – Thurston, 1979.)

- Raw data from gill netting conducted July 9<sup>th</sup> to 13<sup>th</sup> 1978.
- 15-overnight gill-net sets caught: 75 walleye, 48 cisco, 40 rock bass, 37 smallmouth bass, 20 common white sucker, 9 smelt, 4 pumpkinseed, 3 burbot, 2 yellow perch 2 northern pike and 1 lake trout (planted).

### MNR 1977 **Lake Trout Assessment** (Note: Data collected in this survey is reported in the above report – Thurston, 1979.)

- Raw data from gill netting conducted May30<sup>th</sup> to June 2<sup>nd</sup> 1977.
- No Lake Trout were caught
- 15-overnight gill-net sets caught: 53 cisco, 34 walleye, 23 common white sucker, 16 smallmouth bass, 14 brown bullhead, 12 rock bass, 6 burbot, 3 lake whitefish, 2 northern pike and 2 smelt.

# Lake Fact Sheet – Parry Sound District

## Go Home Lake

- It appears that walleye and smallmouth bass captured in this survey were also used for contaminant analysis.

### Management Prescription:

- Manage as a natural, self-sustaining walleye, small and largemouth bass and northern pike fishery.
- No exceptions to FMZ-15 sport fishing regulations

*Created: October 2003*

*Revised: January 2004 (EM)*

Updated: January 2010

Refer to Lake Fact Sheet Interpretation document for explanation of content.

This information is supplied without expressed or implied warranty of any kind, including warranty of fitness for a particular purpose. In no event will the Ministry of Natural Resources be liable for any damages, whether incidental, consequential or direct in conjunction with, or arising from the furnishing or use of this information.